

1.

Dafsari HS, Sprute R, Wunderlich G, et al. Novel mutations in KMT2B offer pathophysiological insights into childhood-onset progressive dystonia. *J Hum Genet.* 2019;64(8):803-813. doi:[10.1038/s10038-019-0625-1](https://doi.org/10.1038/s10038-019-0625-1)

2.

Romeike BFM, Becker K, Grosskreutz J, Schulz S, Weis J, Cirak S. A family with limb girdle muscular dystrophy type 1B and multiple exostoses. *Clin Neuropathol.* July 2019. doi:[10.5414/NP301091](https://doi.org/10.5414/NP301091)

3.

Akpulat U, Wang H, Becker K, et al. Shorter Phosphorodiamidate Morpholino Splice-Switching Oligonucleotides May Increase Exon-Skipping Efficacy in DMD. *Mol Ther Nucleic Acids.* 2018;13:534-542. doi:[10.1016/j.omtn.2018.10.002](https://doi.org/10.1016/j.omtn.2018.10.002)

4.

Fazeli W, Becker K, Herkenrath P, et al. Dominant SCN2A Mutation Causes Familial Episodic Ataxia and Impairment of Speech Development. *Neuropediatrics.* 2018;49(6):379-384. doi:[10.1055/s-0038-1668141](https://doi.org/10.1055/s-0038-1668141)

5.

Latham SL, Ehmke N, Reinke PYA, et al. Author Correction: Variants in exons 5 and 6 of ACTB cause syndromic thrombocytopenia. *Nat Commun.* 2018;9(1):4930. doi:[10.1038/s41467-018-07404-6](https://doi.org/10.1038/s41467-018-07404-6)

6.

Yis U, Becker K, Yilmaz S, Cirak S. Acanthocytosis and HyperCKemia. *Turk J Haematol.* 2018;35(4):296-297. doi:[10.4274/tjh.2017.0142](https://doi.org/10.4274/tjh.2017.0142)

7.

Ghosh SG, Becker K, Huang H, et al. Biallelic Mutations in ADPRHL2, Encoding ADP-Ribosylhydrolase 3, Lead to a Degenerative Pediatric Stress-Induced Epileptic Ataxia Syndrome. *Am J Hum Genet.* 2018;103(5):826. doi:[10.1016/j.ajhg.2018.10.002](https://doi.org/10.1016/j.ajhg.2018.10.002)

8.

Latham SL, Ehmke N, Reinke PYA, et al. Variants in exons 5 and 6 of ACTB cause syndromic thrombocytopenia. *Nat Commun.* 2018;9(1):4250. doi:[10.1038/s41467-018-06713-0](https://doi.org/10.1038/s41467-018-06713-0)

9.

Ghosh SG, Becker K, Huang H, et al. Biallelic Mutations in ADPRHL2, Encoding ADP-Ribosylhydrolase 3, Lead to a Degenerative Pediatric Stress-Induced Epileptic Ataxia Syndrome. *Am J Hum Genet.* 2018;103(3):431-439. doi:[10.1016/j.ajhg.2018.07.010](https://doi.org/10.1016/j.ajhg.2018.07.010)

10.

Broekaert IJ, Becker K, Gottschalk I, et al. Mutations in plasmalemma vesicle-associated protein cause severe syndromic protein-losing enteropathy. *J Med Genet.* 2018;55(9):637-640. doi:[10.1136/jmedgenet-2018-105262](https://doi.org/10.1136/jmedgenet-2018-105262)

11.

Koy A, Cirak S, Gonzalez V, et al. Deep brain stimulation is effective in pediatric patients with GNAO1 associated severe hyperkinesia. *J Neurol Sci.* 2018;391:31-39.
doi:[10.1016/j.jns.2018.05.018](https://doi.org/10.1016/j.jns.2018.05.018)

12.

Bamborschke D, Pergande M, Becker K, et al. A novel mutation in sphingosine-1-phosphate lyase causing congenital brain malformation. *Brain Dev.* 2018;40(6):480-483.
doi:[10.1016/j.braindev.2018.02.008](https://doi.org/10.1016/j.braindev.2018.02.008)

13.

Yis U, Becker K, Cirak S. A boy with neck weakness. *Neuromuscul Disord.* 2018;28(3):236-237.
doi:[10.1016/j.nmd.2017.11.016](https://doi.org/10.1016/j.nmd.2017.11.016)

14.

Sadowski CE, Kohlstedt D, Meisel C, et al. BRCA1/2 missense mutations and the value of in-silico analyses. *Eur J Med Genet.* 2017;60(11):572-577. doi:[10.1016/j.ejmg.2017.08.005](https://doi.org/10.1016/j.ejmg.2017.08.005)

15.

Ng M, Thakkar D, Southam L, et al. A Genome-wide Association Study of Dupuytren Disease Reveals 17 Additional Variants Implicated in Fibrosis. *Am J Hum Genet.* 2017;101(3):417-427.
doi:[10.1016/j.ajhg.2017.08.006](https://doi.org/10.1016/j.ajhg.2017.08.006)

16.

Wang H, Castiglioni C, Kacar Bayram A, et al. Insights from genotype-phenotype correlations by novel SPEG mutations causing centronuclear myopathy. *Neuromuscul Disord.* 2017;27(9):836-842. doi:[10.1016/j.nmd.2017.05.014](https://doi.org/10.1016/j.nmd.2017.05.014)

17.

Yis U, Becker K, Kurul SH, et al. Genetic Landscape of Congenital Myasthenic Syndromes From Turkey: Novel Mutations and Clinical Insights. *J Child Neurol.* 2017;32(8):759-765.
doi:[10.1177/0883073817705252](https://doi.org/10.1177/0883073817705252)

18.

Meisel C, Sadowski CE, Kohlstedt D, et al. Spectrum of genetic variants of BRCA1 and BRCA2 in a German single center study. *Arch Gynecol Obstet.* 2017;295(5):1227-1238.
doi:[10.1007/s00404-017-4330-z](https://doi.org/10.1007/s00404-017-4330-z)

19.

Abou-El-Ardat K, Seifert M, Becker K, et al. Comprehensive molecular characterization of multifocal glioblastoma proves its monoclonal origin and reveals novel insights into clonal evolution and heterogeneity of glioblastomas. *Neuro Oncol.* 2017;19(4):546-557.
doi:[10.1093/neuonc/now231](https://doi.org/10.1093/neuonc/now231)

20.

Haliloglu G, Becker K, Temucin C, et al. Recessive PIEZO2 stop mutation causes distal arthrogryposis with distal muscle weakness, scoliosis and proprioception defects. *J Hum Genet.* 2017;62(4):497-501. doi:[10.1038/jhg.2016.153](https://doi.org/10.1038/jhg.2016.153)

21.

Becker K, Siegert S, Toliat MR, et al. Meta-Analysis of Genome-Wide Association Studies and Network Analysis-Based Integration with Gene Expression Data Identify New Suggestive Loci and Unravel a Wnt-Centric Network Associated with Dupuytren's Disease. *PLoS One*. 2016;11(7):e0158101. doi:[10.1371/journal.pone.0158101](https://doi.org/10.1371/journal.pone.0158101)

22.

Fiddicke U, Becker K, Schwedler G, et al. Lessons learnt on recruitment and fieldwork from a pilot European human biomonitoring survey. *Environ Res*. 2015;141:15-23. doi:[10.1016/j.envres.2014.08.039](https://doi.org/10.1016/j.envres.2014.08.039)

23.

Exley K, Cano N, Aerts D, et al. Communication in a Human biomonitoring study: Focus group work, public engagement and lessons learnt in 17 European countries. *Environ Res*. 2015;141:31-41. doi:[10.1016/j.envres.2014.12.003](https://doi.org/10.1016/j.envres.2014.12.003)

24.

Esteban M, Schindler BK, Jimenez JA, et al. Mercury analysis in hair: Comparability and quality assessment within the transnational COPHES/DEMOCOPHES project. *Environ Res*. 2015;141:24-30. doi:[10.1016/j.envres.2014.11.014](https://doi.org/10.1016/j.envres.2014.11.014)

25.

Konig K, Peifer M, Fassunke J, et al. Implementation of Amplicon Parallel Sequencing Leads to Improvement of Diagnosis and Therapy of Lung Cancer Patients. *J Thorac Oncol*. 2015;10(7):1049-1057. doi:[10.1097/JTO.0000000000000570](https://doi.org/10.1097/JTO.0000000000000570)

26.

Dharmadhikari AV, Gambin T, Szafranski P, et al. Molecular and clinical analyses of 16q24.1 duplications involving FOXF1 identify an evolutionarily unstable large minisatellite. *BMC Med Genet*. 2014;15:128. doi:[10.1186/s12881-014-0128-z](https://doi.org/10.1186/s12881-014-0128-z)

27.

Schindler BK, Esteban M, Koch HM, et al. The European COPHES/DEMOCOPHES project: towards transnational comparability and reliability of human biomonitoring results. *Int J Hyg Environ Health*. 2014;217(6):653-661. doi:[10.1016/j.ijheh.2013.12.002](https://doi.org/10.1016/j.ijheh.2013.12.002)

28.

Becker K, Seiwert M, Casteleyn L, et al. A systematic approach for designing a HBM pilot study for Europe. *Int J Hyg Environ Health*. 2014;217(2-3):312-322. doi:[10.1016/j.ijheh.2013.07.004](https://doi.org/10.1016/j.ijheh.2013.07.004)

29.

Eckl K-M, Tidhar R, Thiele H, et al. Impaired epidermal ceramide synthesis causes autosomal recessive congenital ichthyosis and reveals the importance of ceramide acyl chain length. *J Invest Dermatol*. 2013;133(9):2202-2211. doi:[10.1038/jid.2013.153](https://doi.org/10.1038/jid.2013.153)

30.

Becker K, Vollbrecht C, Koitzsch U, et al. Deep ion sequencing of amplicon adapter ligated libraries: a novel tool in molecular diagnostics of formalin fixed and paraffin embedded tissues. *J Clin Pathol*. 2013;66(9):803-806. doi:[10.1136/jclinpath-2013-201549](https://doi.org/10.1136/jclinpath-2013-201549)

31.

Kuno R, Roquetti MH, Becker K, Seiwert M, Gouveia N. Reference values for lead, cadmium and mercury in the blood of adults from the metropolitan area of Sao Paulo, Brazil. *Int J Hyg Environ Health*. 2013;216(3):243-249. doi:[10.1016/j.ijheh.2012.05.010](https://doi.org/10.1016/j.ijheh.2012.05.010)

32.

Wilhelm M, Wittsiepe J, Seiwert M, et al. Levels and predictors of urinary nickel concentrations of children in Germany: results from the German Environmental Survey on children (GerES IV). *Int J Hyg Environ Health*. 2013;216(2):163-169. doi:[10.1016/j.ijheh.2012.03.008](https://doi.org/10.1016/j.ijheh.2012.03.008)

33.

Lal D, Becker K, Motameny S, et al. Homozygous missense mutation of NDUFV1 as the cause of infantile bilateral striatal necrosis. *Neurogenetics*. 2013;14(1):85-87. doi:[10.1007/s10048-013-0355-z](https://doi.org/10.1007/s10048-013-0355-z)

34.

Kast K, Neuhann TM, Gorgens H, et al. Germline truncating-mutations in BRCA1 and MSH6 in a patient with early onset endometrial cancer. *BMC Cancer*. 2012;12:531. doi:[10.1186/1471-2407-12-531](https://doi.org/10.1186/1471-2407-12-531)

35.

Becker K, Di Donato N, Holder-Espinasse M, et al. De novo microdeletions of chromosome 6q14.1-q14.3 and 6q12.1-q14.1 in two patients with intellectual disability - further delineation of the 6q14 microdeletion syndrome and review of the literature. *Eur J Med Genet*. 2012;55(8-9):490-497. doi:[10.1016/j.ejmg.2012.03.003](https://doi.org/10.1016/j.ejmg.2012.03.003)

36.

Schulz C, Seiwert M, Babisch W, et al. Overview of the study design, participation and field work of the German Environmental Survey on Children 2003-2006 (GerES IV). *Int J Hyg Environ Health*. 2012;215(4):435-448. doi:[10.1016/j.ijheh.2012.02.002](https://doi.org/10.1016/j.ijheh.2012.02.002)

37.

Schulz C, Calafat AM, Haines D, Becker K, Kolossa-Gehring M. International conference on human biomonitoring, Berlin 2010. *Int J Hyg Environ Health*. 2012;215(2):91-92. doi:[10.1016/j.ijheh.2011.11.007](https://doi.org/10.1016/j.ijheh.2011.11.007)

38.

Kolossa-Gehring M, Becker K, Conrad A, Schroter-Kermani C, Schulz C, Seiwert M. Environmental surveys, specimen bank and health related environmental monitoring in Germany. *Int J Hyg Environ Health*. 2012;215(2):120-126. doi:[10.1016/j.ijheh.2011.10.013](https://doi.org/10.1016/j.ijheh.2011.10.013)

39.

Dolmans GH, Werker PM, Hennies HC, et al. Wnt signaling and Dupuytren's disease. *N Engl J Med.* 2011;365(4):307-317. doi:[10.1056/NEJMoa1101029](https://doi.org/10.1056/NEJMoa1101029)

40.

Storch K, Eke I, Borgmann K, et al. Three-dimensional cell growth confers radioresistance by chromatin density modification. *Cancer Res.* 2010;70(10):3925-3934. doi:[10.1158/0008-5472.CAN-09-3848](https://doi.org/10.1158/0008-5472.CAN-09-3848)

41.

Conrad A, Schulz C, Seiwert M, Becker K, Ullrich D, Kolossa-Gehring M. German environmental survey IV: children's exposure to environmental tobacco smoke. *Toxicol Lett.* 2010;192(1):79-83. doi:[10.1016/j.toxlet.2009.01.023](https://doi.org/10.1016/j.toxlet.2009.01.023)

42.

Becker K, Goen T, Seiwert M, et al. GerES IV: phthalate metabolites and bisphenol A in urine of German children. *Int J Hyg Environ Health.* 2009;212(6):685-692. doi:[10.1016/j.ijheh.2009.08.002](https://doi.org/10.1016/j.ijheh.2009.08.002)

43.

Becker K, Marchenko ND, Palacios G, Moll UM. A role of HAUSP in tumor suppression in a human colon carcinoma xenograft model. *Cell Cycle.* 2008;7(9):1205-1213. doi:[10.4161/cc.7.9.5756](https://doi.org/10.4161/cc.7.9.5756)

44.

Kolossa-Gehring M, Becker K, Conrad A, et al. German Environmental Survey for Children (GerES IV)--first results. *Int J Hyg Environ Health.* 2007;210(5):535-540. doi:[10.1016/j.ijheh.2007.07.018](https://doi.org/10.1016/j.ijheh.2007.07.018)

45.

Koch HM, Becker K, Wittassek M, Seiwert M, Angerer J, Kolossa-Gehring M. Di-n-butylphthalate and butylbenzylphthalate - urinary metabolite levels and estimated daily intakes: pilot study for the German Environmental Survey on children. *J Expo Sci Environ Epidemiol.* 2007;17(4):378-387. doi:[10.1038/sj.jes.7500526](https://doi.org/10.1038/sj.jes.7500526)

46.

Marchenko ND, Wolff S, Erster S, Becker K, Moll UM. Monoubiquitylation promotes mitochondrial p53 translocation. *EMBO J.* 2007;26(4):923-934. doi:[10.1038/sj.emboj.7601560](https://doi.org/10.1038/sj.emboj.7601560)

47.

Wittassek M, Heger W, Koch HM, Becker K, Angerer J, Kolossa-Gehring M. Daily intake of di(2-ethylhexyl)phthalate (DEHP) by German children -- A comparison of two estimation models based on urinary DEHP metabolite levels. *Int J Hyg Environ Health.* 2007;210(1):35-42. doi:[10.1016/j.ijheh.2006.11.009](https://doi.org/10.1016/j.ijheh.2006.11.009)

48.

Becker K, Pancoska P, Concin N, et al. Patterns of p73 N-terminal isoform expression and p53 status have prognostic value in gynecological cancers. *Int J Oncol.* 2006;29(4):889-902.

49.

Becker K, Seiwert M, Angerer J, et al. GerES IV pilot study: assessment of the exposure of German children to organophosphorus and pyrethroid pesticides. *Int J Hyg Environ Health*. 2006;209(3):221-233. doi:[10.1016/j.ijheh.2005.12.002](https://doi.org/10.1016/j.ijheh.2005.12.002)

50.

Becker K, Seiwert M, Angerer J, et al. DEHP metabolites in urine of children and DEHP in house dust. *Int J Hyg Environ Health*. 2004;207(5):409-417. doi:[10.1078/1438-4639-00309](https://doi.org/10.1078/1438-4639-00309)

51.

Muller-Tidow C, Schwable J, Steffen B, et al. High-throughput analysis of genome-wide receptor tyrosine kinase expression in human cancers identifies potential novel drug targets. *Clin Cancer Res*. 2004;10(4):1241-1249.

52.

Meyer I, Hoelscher B, Frye C, Becker K, Wichmann HE, Heinrich J. Temporal changes in blood lead levels of children in east Germany. *Int J Hyg Environ Health*. 2003;206(3):181-192. doi:[10.1078/1438-4639-00207](https://doi.org/10.1078/1438-4639-00207)

53.

Becker K, Schulz C, Kaus S, Seiwert M, Seifert B. German Environmental Survey 1998 (GerES III): environmental pollutants in the urine of the German population. *Int J Hyg Environ Health*. 2003;206(1):15-24. doi:[10.1078/1438-4639-00188](https://doi.org/10.1078/1438-4639-00188)

54.

Schacht V, Becker K, Szeimies R-M, Abels C. Apoptosis and leucocyte-endothelium interactions contribute to the delayed effects of cryotherapy on tumours in vivo. *Arch Dermatol Res*. 2002;294(8):341-348. doi:[10.1007/s00403-002-0346-7](https://doi.org/10.1007/s00403-002-0346-7)

55.

Becker K, Kaus S, Krause C, et al. German Environmental Survey 1998 (GerES III): environmental pollutants in blood of the German population. *Int J Hyg Environ Health*. 2002;205(4):297-308. doi:[10.1078/1438-4639-00155](https://doi.org/10.1078/1438-4639-00155)