

1.

Latham SL, Ehmke N, Reinke PYA, et al. Author Correction: Variants in exons 5 and 6 of ACTB cause syndromic thrombocytopenia. *Nat Commun.* 2018;9(1):4930. doi:[10.1038/s41467-018-07404-6](https://doi.org/10.1038/s41467-018-07404-6)

2.

Latham SL, Ehmke N, Reinke PYA, et al. Variants in exons 5 and 6 of ACTB cause syndromic thrombocytopenia. *Nat Commun.* 2018;9(1):4250. doi:[10.1038/s41467-018-06713-0](https://doi.org/10.1038/s41467-018-06713-0)

3.

Wade EM, Jenkins ZA, Daniel PB, et al. Autosomal dominant frontometaphyseal dysplasia: Delineation of the clinical phenotype. *Am J Med Genet A.* 2017;173(7):1739-1746. doi:[10.1002/ajmg.a.38267](https://doi.org/10.1002/ajmg.a.38267)

4.

Al-Bughaili M, Neuhann TM, Flottmann R, et al. A de novo 1q23.3-q24.2 deletion combined with a GORAB missense mutation causes a distinctive phenotype with cutis laxa. *J Hum Genet.* 2017;62(2):325-328. doi:[10.1038/jhg.2016.111](https://doi.org/10.1038/jhg.2016.111)

5.

Ravenscroft G, Di Donato N, Hahn G, et al. Recurrent de novo BICD2 mutation associated with arthrogyrosis multiplex congenita and bilateral perisylvian polymicrogyria. *Neuromuscul Disord.* 2016;26(11):744-748. doi:[10.1016/j.nmd.2016.09.009](https://doi.org/10.1016/j.nmd.2016.09.009)

6.

Wade EM, Daniel PB, Jenkins ZA, et al. Mutations in MAP3K7 that Alter the Activity of the TAK1 Signaling Complex Cause Frontometaphyseal Dysplasia. *Am J Hum Genet.* 2016;99(2):392-406. doi:[10.1016/j.ajhg.2016.05.024](https://doi.org/10.1016/j.ajhg.2016.05.024)

7.

Di Donato N, Neuhann T, Kahlert A-K, et al. Mutations in EXOSC2 are associated with a novel syndrome characterised by retinitis pigmentosa, progressive hearing loss, premature ageing, short stature, mild intellectual disability and distinctive gestalt. *J Med Genet.* 2016;53(6):419-425. doi:[10.1136/jmedgenet-2015-103511](https://doi.org/10.1136/jmedgenet-2015-103511)

8.

Neuhann TM, Stegerer A, Riess A, et al. ADAMTSL4-associated isolated ectopia lentis: Further patients, novel mutations and a detailed phenotype description. *Am J Med Genet A.* 2015;167A(10):2376-2381. doi:[10.1002/ajmg.a.37157](https://doi.org/10.1002/ajmg.a.37157)

9.

Cappello S, Gray MJ, Badouel C, et al. Mutations in genes encoding the cadherin receptor-ligand pair DCHS1 and FAT4 disrupt cerebral cortical development. *Nat Genet.* 2013;45(11):1300-1308. doi:[10.1038/ng.2765](https://doi.org/10.1038/ng.2765)

10.

Dikow N, Maas B, Gaspar H, et al. The phenotypic spectrum of duplication 5q35.2-q35.3 encompassing NSD1: is it really a reversed Sotos syndrome? *Am J Med Genet A.* 2013;161A(9):2158-2166. doi:[10.1002/ajmg.a.36046](https://doi.org/10.1002/ajmg.a.36046)

11.

Kluger G, Koehler U, Neuhann TM, Pieper T, Staudt M, von Stulpnagel C. Generalized epilepsy in two patients with 5p duplication. *Neuropediatrics.* 2013;44(4):225-229. doi:[10.1055/s-0033-1333872](https://doi.org/10.1055/s-0033-1333872)

12.

Neuhann TM, Mansmann V, Merkelbach-Bruse S, et al. A novel germline KIT mutation (p.L576P) in a family presenting with juvenile onset of multiple gastrointestinal stromal tumors, skin hyperpigmentations, and esophageal stenosis. *Am J Surg Pathol.* 2013;37(6):898-905. doi:[10.1097/PAS.0b013e31827bc071](https://doi.org/10.1097/PAS.0b013e31827bc071)

13.

Neuhann T, Rautenstrauss B. Genetic and phenotypic variability of optic neuropathies. *Expert Rev Neurother.* 2013;13(4):357-367. doi:[10.1586/ern.13.19](https://doi.org/10.1586/ern.13.19)

14.

Eisenberger T, Neuhaus C, Khan AO, et al. Increasing the yield in targeted next-generation sequencing by implicating CNV analysis, non-coding exons and the overall variant load: the example of retinal dystrophies. *PLoS One.* 2013;8(11):e78496. doi:[10.1371/journal.pone.0078496](https://doi.org/10.1371/journal.pone.0078496)

15.

Poretti A, Mall V, Smitka M, et al. Macrocerbellum: significance and pathogenic considerations. *Cerebellum.* 2012;11(4):1026-1036. doi:[10.1007/s12311-012-0379-1](https://doi.org/10.1007/s12311-012-0379-1)

16.

Kast K, Neuhann TM, Gorgens H, et al. Germline truncating-mutations in BRCA1 and MSH6 in a patient with early onset endometrial cancer. *BMC Cancer.* 2012;12:531. doi:[10.1186/1471-2407-12-531](https://doi.org/10.1186/1471-2407-12-531)

17.

Neuhann TM, Artelt J, Neuhann TF, Tinschert S, Rump A. A homozygous microdeletion within ADAMTSL4 in patients with isolated ectopia lentis: evidence of a founder mutation. *Invest Ophthalmol Vis Sci.* 2011;52(2):695-700. doi:[10.1167/iovs.10-5740](https://doi.org/10.1167/iovs.10-5740)

18.

Endris V, Hackmann K, Neuhann TM, et al. Homozygous loss of CHRNA7 on chromosome 15q13.3 causes severe encephalopathy with seizures and hypotonia. *Am J Med Genet A.* 2010;152A(11):2908-2911. doi:[10.1002/ajmg.a.33692](https://doi.org/10.1002/ajmg.a.33692)

19.

Tyshchenko N, Hackmann K, Gerlach E-M, Neuhann T, Schrock E, Tinschert S. 1.6Mb deletion in chromosome band 3q29 associated with eye abnormalities. *Eur J Med Genet.* 2009;52(2-3):128-130. doi:[10.1016/j.ejmg.2009.03.002](https://doi.org/10.1016/j.ejmg.2009.03.002)